



Italisa
ITALIAN LIFE

Italisa

ITALISA (VIETNAM) CO., LTD

B5-B6, Song Khe-Noi Hoang Industrial Zone,

Bac Giang Province, Viet Nam 21000

Tel: +84-240-3758188 Fax: +84-240-3758668

Email: italisa@italisa.com

Website: www.italisa.com



ITALISA (VIETNAM) CO., LTD. is an ISO 9001/14001 certified, global solutions provider with core capabilities in:

- Brass Alloying, Gravity Casting, Low Pressure Casting (LPPM) and Zinc Die Casting
- Hot Forging, Tube Bending and Brazing, Machining and Polishing
- Surface Finishing, Assembly and Industry Standard Testing

Our vision is simple and straight forward: To exceed our customer’s expectations for value added quality, on-time delivery, customer service, innovation and price. Italisa is a devoted and reliable strategic OEM and ODM partner for leading global sanitary ware and security product brands. We have achieved our success through strong customer relationships and collaboration, strong financial resources, solid infrastructure, sound business ethics and continuous improvement activities.

Strategically located approximately 3 hours from Haiphong port in Bac Giang province, Italisa opened its 150,000 sq.m campus and world class manufacturing operation in 2010 with an initial investment of \$20 million USD. With over 900 employees and \$30 million USD in annual sales, Italisa is a leading OEM and ODM manufacturer for decorative, functional brass and zinc products. Our products are designed, produced and tested to comply with international standards such as NSF and AB1953 (North America), CE (Europe), WRAS (UK) and Watermark (Australia).



CERTIFICATES



CERTIFICATES





BRASS ALLOYING

Italisa believes that to achieve the highest level of quality, you must control each step of the process from beginning to end. Using advanced horizontal continuous casting, we maintain precise chemical composition for our casted and forged components offering key brass alloys such as low lead and lead free brass, DZR, Eco and standard brass.



TOOLING AND FIXTURING

In our fast paced industry, precise tooling with quick turnaround is key to our customers' faster market entry and overall product success. Italisa's in-house tool and die capability provides us and our customers the necessary edge to ensure to meet the project timeline and maintain quality tooling throughout the product's life. We offer a complete solution from in-house tool design, build, engineering changes and on-going maintenance program resulting in faster new product development, product approval, longer tool life and more reliable part quality. Our tool department ensures the tool is built effectively using equipment such as our six-axis CNC machining centers and wire EDM machines for tight tolerances and critical dimensions. In addition, we use key mold materials such as pure copper, CuCrZr and beryllium copper for superior mold construction and tool life.



AUTOMATIC SAND CORE

Italisa utilizes IMR automatic sand core machines, high quality sand and bonding agents to ensure a durable sand core, a smooth core surface and core uniformity resulting in dimensional accuracy, consistent casting wall thicknesses and reduced turbulence in waterway applications.



GRAVITY, LPPM AND ZINC DIE CASTING

Italisa utilizes high quality IMR brass gravity/ low pressure casting and Taiwanese zinc die casting for a reliable, consistent casting process and superior process control management system. Our engineering, production and quality team approaching in the product design, trial and on-going production focuses on production of high-density micro structures, high yield and superior mechanical property components.



MACHINING

In-line with our philosophy of using superior quality equipment and materials, Italisa uses both single and multi-axis CNC machining centers such as Brother (Japanese) to achieve concise dimensional control, excellent surface finish and high volume repeatability. Our cutting tools and fixtures are designed, measured and certified in-house allowing for quick response to dimensional tweaks and worn or damaged cutting tools.



POLISHING

Italisa produces a large variety of simple to complex part geometries. Through our experience, training process, polishing equipment, work environment and stringent quality control, we are able to meet our customer's most difficult surface standards including tight corners, large flat surfaces and other hard to reach surfaces often seen on today's most complicated product designs. We utilize dust-free Eco manual polishing and buffing lines minimizing dust contamination and allowing our skilled polishers to work in a clean, well lit work environment.



ELECTROPLATING

Italisa's in-house, fully automated 104-arm hoist electrochroming plating line provides the flexibility to meet our customer's most stringent plating standards including EN248 and ASTM B456. Our world class programmable plating line utilizes key processes such as reverse osmosis for incoming water, supersonic cleaning and rinse, multi in-line filtration and in-tank high pressure jets to eliminate potential contaminants and trapped fluids throughout each step of the process. With capability of up to 5 layers of plating, Italisa can ensure a smooth, durable cosmetic finish at high volume output. As a standard process, electroplated product is 100% visually inspected to our customer standards by our trained and certified quality control staff.



Physical Vapor Deposition

Through our in-house Sinoarc PVD operation, we offer flexible special finish capability such as brushed nickel, polished nickel, stainless, polished brass, brushed bronze and more. Italisa carefully controls the PVD process through a dedicated, humidity controlled production area, multi-step cleaning line and detailed manual cleaning prior to PVD to ensure the highest quality and production yields for our customers. PVD product is 100% visually inspected to customer standards by our trained and certified quality control staff.



LABORATORY

Italisa has established state of the art testing facilities for each step of the manufacturing process. From Spectromax (Germany), Renishaw CMM, to CASS, NSS & AASS corrosion, pressure decay and assemble lifecycle testing, we have implemented the most advanced test equipment to ensure stringent control of raw material, dimensional, corrosion, flow rate and durability standards for our customers. All testing equipment is maintained under our internal and external calibration system to ensure repeatability and reproducibility from our equipment and inspectors.



ENGINEERING, R&D AND PROJECT MANAGEMENT

Italisa maintains an experienced, well educated staff of in-house engineers for research and development (R&D), tool design, product design, process and production engineering to drive innovation and efficiency for our customers. Our R&D team focuses on advanced materials and manufacturing technologies through close customer collaboration and global market research. Our R&D efforts are also supported by \$1.6 Billion USD parent company who possesses a certified national laboratory, over 500 staffed engineers, a post-doct program, strategic relationships with research universities & organizations throughout Asia and alloying & equipment building capability. For part and tooling design, we utilize the latest version of Pro-Engineer 3D software for modeling and product rendering. For new product development, we have a cross functional team of engineering, quality and production members that are lead by our project management group. For part and product qualification, we follow the PPAP system and incorporate detailed timelines to ensure we meet our customers key project milestones with proven manufacturing processes and dimensionally correct, functional components and assemblies.





CONTENT:

- 10 Venus Series
- 14 Le Pensure Series
- 16 Diamond Series
- 20 Lucienne Series
- 22 Ares Series
- 24 Sirens Series
- 28 Pogaso Series
- 30 Athena Series
- 32 Great Palace Series
- 36 Aether Series
- 40 Phoebe Series
- 44 Chronos Series
- 46 Diana Series
- 50 Pontus Series
- 52 Gaea Series
- 56 Hemera Series
- 58 Pomona & Vertumnus Series
- 60 Apollo Series
- 64 Tyche Series
- 66 Metis Series
- 68 Mercury Series
- 72 Camenae & Muses Series
- 76 Jenners Series
- 78 Janus Series
- 80 Minos Series
- 82 Single Handle Kitchen Mixer
- 86 Multi-function Shower Column Series
- 88 Pearl Series
- 90 Morpheus Series
- 92 Cold Tap and Bib Cock
- 96 Harmonia Series



Venus Series



B6138KQCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



B6138ATRD

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



B6C38KQCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



B6C38ATRD

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min

Venus is the goddess of love, beauty, desire, and pleasure in Greek mythology. Her elegance and charm inspire our Venus series product line with a desirable design that creates pleasure and beauty throughout the bathroom.

FINISHES:



Chrome

Satin
Nickel

Brushed
Bronze

Gold



W6138KQCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 550mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$



W6138ATRD

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 550mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$



B6143ASRD

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$



B6C43ASRD

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$



B6C79ATRD

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$



Le Pensure Series



In Asian culture, it is believed that constant thinking is the access to the source of wisdom. Le Pensure Series products offer unique, thought provoking outlook on faucet design that expresses the spiritual connotation of constant thinking and a wise choice for your home.

FINISHES:



B6132KHCP



- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

W6132KHCP



- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

K6132KHCP



- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

S3132KHCP



- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min

Y3132KHCP



- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Diamond Series



B783B0ACP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm - Neoperl SLM
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min



B783B1ACP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm - Neoperl SLM
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min



B783B2ACP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Aerator: Male 24mm - Neoperl SLM
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min



W783W0ACP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min

It is said that Diamonds are forever. A long lasting quality, beauty and sophistication in life. Our Diamond Series is just that. A perfect combination of long lasting quality and beauty for a sophisticated and contemporary bathroom design.

FINISHES:



Chrome Satin Nickel Brushed Bronze Gold



S783S0ACP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S783S3ACP

- Concealed Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S783S1ACP

- Rising Stem Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S783S2ACP

- Rising Stem Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Y783Y1ACP

- Concealed Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Y783Y0ACP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Lucienne Series



B6271NQCPS

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B4271NQCPS

- Single Lever Basin Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6271NQCPS

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3271NQCPS

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3271NQCPS

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Known as the symbol of vitality in Roman times, our Lucienne Series offers a sense vitality in the bathroom and kitchen with clean lines and a prominent and bold design.

FINISHES:



Chrome Satin Nickel Brushed Bronze Gold

Ares Series



According to legend, Hera touched a simple, beautiful flower in Aolenuosi grassland and Ares was born. Ares Series transitional design focuses on simple lines and natural curves creating a beautiful fit for any home.

FINISHES:



Chrome Satin Nickel Brushed Bronze Gold

B6267MLCP



- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

W6267MLCP



- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

K6267MLCP



- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

S3267MLCP



- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min

Y3267MLCP



- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Sirens Series



B6266NGCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6E66NGCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B4266NGCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6266NGCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

Sirens are legendary, sea-singing nymphs who persuaded their subjects with exceptional beauty and luring seduction. Our Siren series' design is innovative and exceptionally beautiful in the home. The more you look at this unique, sensual design, the more you are drawn.

FINISHES:





S3266NGCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S3E66NGCP

- High Stem Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3266NGCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Y3E66NGCP

- High Stem Bathtub Mixer
- Cartridge: 35mm
- Aerator: Female 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Pogaso Series



B6106JGCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Cartridge: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6C06JGCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6C06JGCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 16.5X1
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3106JGCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3106JGCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min




Contemporary straight lines and defined edges provoke the Pogaso series' three dimensional design. With it's forward thinking design, intriguing art form and precise function, you could expect Pogaso series to be the focal point in your bath and kitchen.

FINISHES:



Chrome Satin Nickel Brushed Bronze Gold

Athena Series



Athena is the Greek Goddess of wisdom and useful arts. Our Athena series is designed with a creative, unique art form that is both technically appealing and useful sophistication for your bathroom.

FINISHES:



Chrome

Satin Nickel

Brushed Bronze

Gold

B6136KNCP



- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

W6136KNCP



- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

K6136KNCP



- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

S3136KNCP



- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min

Y3136KNCP



- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Great Palace Series



Many of Rome's palaces were constructed using distinct lines, far reaching columns and powerful over-arching facades for aesthetic greatness, show of power, wealth and security. Inspired by Rome's great palaces, our Great Palace Series features distinct lines, arching waterways, vertical objectivity and controlled lead materials to command a presence of quality, durability and safety in the kitchen and bath.

FINISHES:



B6178LZCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B2178LZCP

- Single Lever Cold Tap
- Cartridge: 25mm
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6C78LZCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6178LZCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6178LZCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Square
- Flow Rate: Standard: 0.1MPa \leq 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3178LZCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S4178LZCP

- Concealed Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3178LZCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min




Y4178LZCP

- Concealed Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Aether Series



B6D26KBCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6A26KBCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B2126KBCP

- Single Lever Cold Tap
- Cartridge: 25mm
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min



W6C26KBCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

In Greek mythology, Aether is the personification of the pure upper air reserved for only the gods. Our Aether Series embodies the best of pure and clean with subtle lines, curves and materials throughout the faucet design. With enduring quality and transition/contemporary design, this faucet is reserved only for your most precious spaces.

FINISHES:



Chrome Satin Nickel Brushed Bronze Gold



K6C26KBCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa \leq 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3C26KBCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S4126KBCP

- Concealed Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3126KBCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Y4126KBCP

- Concealed Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Phoebe Series



B6D31KGCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6A31KGCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B8131AXCP

- Widespread Faucet
- Cartridge: G1/2
- Hose: 300mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6C31KGCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

In Greek mythology, Phoebe is the titan goddess of the "bright" intelligent and daughter of sky and earth. Phoebe Series' light catching style and intelligent environmental design will brighten any bathroom. With straight lines and radius' merging seamlessly, the faucet will catch the eye in any modern bathroom.

FINISHES:



Chrome

Satin
Nickel

Brushed
Bronze

Gold



K6D31KGCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$
Regulated: 0.1MPa 4L/min - 9L/min



K6A31KGCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 22mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$
Regulated: 0.1MPa 4L/min - 9L/min



S3A31KGCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3131KGCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: $0.1\text{MPa} \geq 6\text{L}/\text{min}$



Y8131AXCP

- Widespread Faucet
- Cartridge: G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: $0.1\text{MPa} \geq 6\text{L}/\text{min}$



Chronos Series



B780B0ACP

- Single Lever Basin Mixer
- Cartridge: 25mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min



B780B1ACP

- Single Lever Basin Mixer
- Cartridge: 25mm
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min



Y780Y0ACP

- Wall-Mounted Bathtub Mixer
- Cartridge: 25mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min




"Let your life lightly dance on the edges of Time like dew on the tip of a leaf" – Rabindranath Tagore

Our Chronos Series design reflects this simple, fun and stress free notion. Enjoy the timeless beauty this series has to offer.

FINISHES:



Diana Series



B6107JHCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6C07JHCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B2107JHCP

- Single Lever Cold Tap
- Cartridge: 25mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6107JHCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm < G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



Our Diana Series is inspired by the Greek Goddess of the Moon. The faucet designs soft, rounded edges represents the moon's perfectly round surface and natural beauty.

FINISHES:





K6107JHCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa \leq 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3107JHCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3107JHCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Pontus Series



B6C39KRCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6C39KRCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K3139KRCP

- Wall-Mounted Kitchen Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3139KRCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3139KRCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min



As the god of the sea, father of the fish and other sea creatures, Pontus symbolizes harmony and grace with marine life. Our Pontus Series, distinguished by its clean, crisp lines, graceful edges and corners, harmonize these elements for a distinguished, contemporary design.

FINISHES:



Gaea Series



Gaea is the Greek Goddess of Earth. The natural flowing lines and beautiful shape of our Gaea Series gets its design influence from one of earth's most natural and precious forms, the flower. In addition, we use recyclable materials that protect our environment and human health.

FINISHES:



Chrome

Satin Nickel

Brushed Bronze

Gold



B6142KUCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6142KUCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6A42KUCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6C42KUCP

- Pull-Down Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2:
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6D42KUCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa \leq 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3142KUCP

- Wall-mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3142KUCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Hemera Series



Hemera is the Greek Goddess of Day. The gently downward slope of our Hemera Series' spout design resembles the beauty of the sun's rays projected onto earth.

FINISHES:



Chrome

Satin Nickel

Brushed Bronze

Gold



B6146MBCP

- Single Lever Basin Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6146MBCP

- Single Lever Bidet Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6146MBCP

- Single Handle Kitchen Mixer
- Cartridge: 40mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3146MBCP

- Wall-Mounted Shower Mixer
- Cartridge: 40mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3146MBCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 40mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Pomona & Vertumnus Series



B6145KYCP

- Single Lever Basin Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6C45KYCP

- Single Lever Basin Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6145KYCP

- Single Handle Kitchen Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

Pomona and Vertumnus are the guardian gods of orchards and gardens, but also grasp the world of the curve. Between two points, their most beautiful and rich source is the meaning of the curve wave. Pomona & Vertumnus Series makes the imagination in the timeless diversity of bathroom space and creates your own color in the relaxation space.

FINISHES:



Chrome

Satin
Nickel

Brushed
Bronze

Gold

Apollo Series



B6137KPCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B5137KPCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6137KPCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6C37KPCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

Classic squares in Apollo Series are delicately integrated with smooth curves to create the art combined from light and music. Every single detail is ingeniously "portrayed" in the complete shape forming the sophistication in each design of this series.

FINISHES:



Chrome

Satin
Nickel

Brushed
Bronze

Gold



S3137KPCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3137KPCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Tyche Series



Tyche Series designs, based on this principle Fabulous curves and premium design lines, create the consistence and smooth beauty as the luck to everyone.

FINISHES:



Chrome

Satin Nickel

Brushed Bronze

Gold



B6C34KLCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6134KLCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6134KLCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3134KLCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3134KLCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Metis Series



Knowledge speaks, but wisdom listens - Jimi Hendrix

The language of Metis Series designs is the wisdom of modern bathroom space and consistency with the overall impression of peace and tranquility. The creative and iconic forms of Metis Series create the living environment with refined awareness and sensitivity of life.

FINISHES:



Chrome

Satin Nickel

Brushed Bronze

Gold

B6133KKCP



- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

W6133KKCP



- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

K6C33KKCP



- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

S3133KKCP



- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min

Y3133KKCP



- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Mercury Series



B6135KMCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B5135KMCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



W6135KMCP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6C35KMCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

In Roman mythology, Mercury is a god of commerce and gain and messenger of the gods. He wears a hat with two wings and a pair of flying shoes.

Mercury Series presents the original Mercury in mythology by its graceful and superb design and aesthetic shape. Meanwhile, Mercury Series intends to blend elegance and modesty through excellent process and design concept.

FINISHES:



Chrome

Satin
Nickel

Brushed
Bronze

Gold



S3135KMCP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3135KMCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa \geq 6L/min



Camenae & Muses Series



B6D29KECP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B6A29KECP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 20mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 5L/min - 9L/min



W6129KECP

- Single Lever Bidet Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

Camenae is a goddess taking care of springs and wells, treating diseases, and foretelling the future. In Rome, after the introduction of Greek mythology, she combined with the Muses. Camenae & Muses Series, through its gentle and mild prototypes, vividly represents the ancient God's goodness and healthiness.

FINISHES:



Chrome Satin Nickel Brushed Bronze Gold



K6C29KECP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3129KECP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S629S1RCP

- Concealed Shower Faucet
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3C29KECP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min



Jenners Series



B6115JQCP

- Single Lever Basin Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6115JQCP

- Single Handle Kitchen Mixer
- Cartridge: 40mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



Y3115JQCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 40mm
- Aerator: Male 28mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Having stability in our daily life is key to happiness and success. The Jenners Series was designed with stability in mind. This transitional, durable, entry level faucet series offers solid performance and dependability with a great look in any kitchen.

FINISHES:



Chrome

Satin
Nickel

Brushed
Bronze

Gold

Janus Series



Janus is the Roman god of beginning and transitions. Our Janus Series focuses on simple function and transitional cosmetic design for entry level design and commercial use.

FINISHES:



Chrome

Satin Nickel

Brushed Bronze

Gold

B6144KXCP



- Single Lever Basin Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

B5144KXCP



- Single Lever Basin Mixer
- Cartridge: 40mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

K6144KXCP



- Single Handle Kitchen Mixer
- Cartridge: 40mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

S3144KXCP



- Wall-Mounted Shower Mixer
- Cartridge: 40mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min

Y3144KXCP



- Wall-Mounted Bathtub Mixer
- Cartridge: 40mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Minos Series



Our Minos Series follows the perfect minimalistic concept by incorporating simple lines and curves to create a versatile, functional faucet design.

FINISHES:



Chrome

Satin Nickel

Brushed Bronze

Gold



B6151LDCP

- Single Lever Basin Mixer
- Cartridge: 40mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B5151LDCP

- Single Lever Basin Mixer
- Cartridge: 40mm
- Hose: 400mm, 2-G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6151LDCP

- Single Handle Kitchen Mixer
- Cartridge: 40mm
- Hose: 600mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3151LDCP

- Wall-Mounted Shower Mixer
- Cartridge: 40mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3151LDCP

- Wall-Mounted Bathtub Mixer
- Cartridge: 40mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Single Handle Kitchen Mixer



FINISHES:



Chrome



Satin Nickel



Brushed Bronze



Gold



K6C08LHCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6108JJCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6113JNCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 600mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6122JUCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K6123JWCP

- Pull-Down Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$
Regulated: 0.1MPa 4L/min - 9L/min



K6130KFCP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$
Regulated: 0.1MPa 4L/min - 9L/min



K6156LGCP

- Single Handle Kitchen Mixer
- Cartridge: 40mm
- Hose: 500mm, G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: $0.1\text{MPa} \leq 9\text{L}/\text{min}$
Regulated: 0.1MPa 4L/min - 9L/min



Multi-function Shower Column Series



5801016CP

-Cartridge: 22mm
-Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



5801018CP

-Cartridge: 40mm
-Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S3C16JRCP

-Cartridge: 40mm
-Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



S3C31KGCP

-Cartridge: 35mm
-Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min

Pearl Series



B6191MCCP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 500mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B8191AYCP

- Single Lever Basin Mixer
- Cartridge: G1/2
- Hose: 300mm, 2-G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



Our sleek and efficient Waterfall Series design provides a crafted, carefully polished top surface and well defined lines that sets apart this unique contemporary design.

FINISHES:



*Exchange with water
rather dominate it*

Morpheus Series



Art Deco period defines our Morpheus Series. The balance of modern and traditional detail creates a unique design for that special design motif.

FINISHES:



K3155KZCP

- Single Handle Kitchen Mixer
- Cartridge: 40mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min

By water, life is moved!



Cold Tap and Bib Cock



B2002AHCP

- Single Lever Cold Tap
- Cartridge: G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa \leq 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



B2003AJCP

- Single Lever Cold Tap
- Cartridge: 25mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa \leq 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K2001AGCP

- Single Handle Kitchen Mixer
- Cartridge: G1/2
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa \geq 4L/min, \leq 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



A1001AMCP

- Cartridge: M18X1.5



A1E69NLCP

- Laundry Faucet
- Cartridge: M18X1.5
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



A1269NLCP

- Laundry Faucet
- Cartridge: M18X1.5
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



A1E70NMCP

- Laundry Faucet
- Cartridge: M18X1.5
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



A1270NMCP

- Laundry Faucet
- Cartridge: M18X1.5
- Flow rate: Standard: 0.1MPa ≤ 9L/min



A1F69NLCP

- Laundry Faucet
- Cartridge: M18X1.5
- Aerator: Female 22mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



A1F70NMCP

- Laundry Faucet
- Cartridge: M18X1.5
- Flow Rate: Standard: 0.1MPa ≤ 9L/min



Harmonia Series



B6265NECP

- Single Lever Basin Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



K3265NECP

- Single Handle Kitchen Mixer
- Cartridge: 35mm
- Hose: 400mm, G1/2
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≤ 9L/min
Regulated: 0.1MPa 4L/min - 9L/min



S3265NECP

- Wall-Mounted Shower Mixer
- Cartridge: 35mm
- Flow Rate: Regulated: 0.1MPa 4L/min - 9L/min



Y3265NECP

- Wall-Mounted Bathtub Mixer
- Cartridge: 35mm
- Aerator: Male 24mm
- Flow Rate: Standard: 0.1MPa ≥ 6L/min

Our Harmonia Series goes outside the box by combining retro charm and modern chic. Perfect design harmony and functionality.

FINISHES:



Chrome Satin Nickel Brushed Bronze Gold